

Technical characteristics

Type of radiator:	CONVECTION RADIATOR	Attached to the radiator:	TEMPLATE FOR MOUNTING, MOUNTING CONSOLE + [screws and instructions]
Mode (medium) of heating:	WATER		THERMOSTATIC VALVE integrated in the radiator
Heating system:	NATURAL CONVECTION		THERMOSTATIC HEAD integrated in the radiator
Mode of room regulation:	THERMOSTATIC VALVE AND HEAD (Heimeier)		
Radiator connection:	BOTTOM CENTER, LEFT, RIGHT (connection 3/4)	Guarantee:	GENERAL GUARANTEE 5 years THERMOSTATIC VALVE AND HEAD 2 years
Distance between connecting pipes:	50 mm		
Distance from the wall to the connecting pipes:	47 mm for all dimensions and models of radiator		

Dimensions and power

L	H	T	Power	L	H	T	Power	L	H	T	Power	L	H	T	Power	L	H	T	Power	L	H	T	Power
70 x 30 x 7	357	90 x 30 x 7	512	120 x 30 x 7	648	140 x 30 x 7	760	160 x 30 x 7	865	180 x 30 x 7	963	200 x 30 x 7	1013										
70 x 40 x 7	454	90 x 40 x 7	579	120 x 40 x 7	775	140 x 40 x 7	893	160 x 40 x 7	1021	180 x 40 x 7	1137	200 x 40 x 7	1215										
70 x 50 x 7	547	90 x 50 x 7	662	120 x 50 x 7	885	140 x 50 x 7	1031	160 x 50 x 7	1174	180 x 50 x 7	1306	200 x 50 x 7	1449										
70 x 60 x 7	624	90 x 60 x 7	742	120 x 60 x 7	978	140 x 60 x 7	1147	160 x 60 x 7	1306	180 x 60 x 7	1458	200 x 60 x 7	1583										
70 x 70 x 7	713	90 x 70 x 7	825	120 x 70 x 7	1091	140 x 70 x 7	1276	160 x 70 x 7	1462	180 x 70 x 7	1634	200 x 70 x 7	1771										
70 x 80 x 7	809	90 x 80 x 7	921	120 x 80 x 7	1209	140 x 80 x 7	1407	160 x 80 x 7	1609	180 x 80 x 7	1808	200 x 80 x 7	1972										
70 x 30 x 10	481	90 x 30 x 10	740	120 x 30 x 10	971	140 x 30 x 10	1142	160 x 30 x 10	1307	180 x 30 x 10	1477	200 x 30 x 10	1632										
70 x 40 x 10	602	90 x 40 x 10	843	120 x 40 x 10	1102	140 x 40 x 10	1308	160 x 40 x 10	1501	180 x 40 x 10	1672	200 x 40 x 10	1862										
70 x 50 x 10	705	90 x 50 x 10	937	120 x 50 x 10	1238	140 x 50 x 10	1457	160 x 50 x 10	1673	180 x 50 x 10	1869	200 x 50 x 10	2070										
70 x 60 x 10	796	90 x 60 x 10	1022	120 x 60 x 10	1346	140 x 60 x 10	1586	160 x 60 x 10	1817	180 x 60 x 10	2041	200 x 60 x 10	2256										
70 x 70 x 10	911	90 x 70 x 10	1116	120 x 70 x 10	1475	140 x 70 x 10	1732	160 x 70 x 10	1984	180 x 70 x 10	2206	200 x 70 x 10	2476										
70 x 80 x 10	1024	90 x 80 x 10	1211	120 x 80 x 10	1607	140 x 80 x 10	1887	160 x 80 x 10	2169	180 x 80 x 10	2389	200 x 80 x 10	2691										
70 x 30 x 12	734	90 x 30 x 12	927	120 x 30 x 12	1205	140 x 30 x 12	1404	160 x 30 x 12	1610	180 x 30 x 12	1818	200 x 30 x 12	2012										
70 x 40 x 12	818	90 x 40 x 12	1031	120 x 40 x 12	1362	140 x 40 x 12	1569	160 x 40 x 12	1793	180 x 40 x 12	2023	200 x 40 x 12	2237										
70 x 50 x 12	886	90 x 50 x 12	1126	120 x 50 x 12	1513	140 x 50 x 12	1729	160 x 50 x 12	1973	180 x 50 x 12	2225	200 x 50 x 12	2468										
70 x 60 x 12	967	90 x 60 x 12	1238	120 x 60 x 12	1611	140 x 60 x 12	1891	160 x 60 x 12	2158	180 x 60 x 12	2430	200 x 60 x 12	2693										
70 x 70 x 12	1056	90 x 70 x 12	1334	120 x 70 x 12	1754	140 x 70 x 12	2056	160 x 70 x 12	2344	180 x 70 x 12	2633	200 x 70 x 12	2924										
70 x 80 x 12	1142	90 x 80 x 12	1432	120 x 80 x 12	1914	140 x 80 x 12	2218	160 x 80 x 12	2533	180 x 80 x 12	2842	200 x 80 x 12	3151										

Heat effect is measured or calculated at the water temperature of 75/65/20°C.